

#### 特許協力条約

PCT

#### 国際予備審査報告

REC'D 2 2 JUN 2001

(法第12条、法施行規則第56条) [PCT36条及びPCT規則70]

出願人又は代理人 P22752-P0   の書類記号	今後の手続きについては、国際予備審査報告の送付通知(様式PCT/ IPEA/416)を参照すること。
国際出願番号 PCT/JP00/02506	国際出願日 (日.月.年) 17.04.00 <b>優</b> 先日 (日.月.年) 26.04.99
国際特許分類 (IPC) Int. Cl <sup>7</sup>	H01M8/04, H01M8/10
出願人(氏名又は名称) 松下電器産業株式	<b>公会社</b>
	国際予備審査報告を法施行規則第57条(PCT36条)の規定に従い送付する。  我を含めて全部で4 ページからなる。
   X この国際予備審査報告には、降	・ 村属書類、つまり補正されて、この報告の基礎とされた及び/又はこの国際予備審 時期細書、請求の範囲及び/又は図面も添付されている。 実施細則第607号参照)
3. この国際予備審査報告は、次の内容	きを含む。
I X 国際予備審査報告の基礎	
Ⅱ □ 優先権	•
Ⅲ	上の利用可能性についての国際予備審査報告の不作成
IV	
V 図 PCT35条(2)に規定す の文献及び説明 VI □ ある種の引用文献	<sup>-</sup> る新規性、進歩性又は産業上の利用可能性についての見解、それを裏付けるため
VII 国際出願の不備	
VII 国際出願に対する意見	
国際予備審査の請求書を受理した日 06.09.00	国際予備審査報告を作成した日 05.06.01
名称及びあて先 日本国特許庁 (IPEA/JP) 郵便番号100-8915	特許庁審査官(権限のある職員) 4 X 9062 原 賢一 (和)

東京都千代田区霞が関三丁目4番3号

電話番号 03-3581-1101 内線 3477

#### 国際予備審査報告

国際出願番号 PCT/JP00/02506

I.	Ē	国際予備審査	報告の	の基礎		•
1. この国際予備審査報告は下記の出願書類に基づいて作成された。(法第6条(PCT14条)の規定に基づく命令に						
						おいて「出願時」とし、本報告書には添付しない。
	I	P C T規則70.	16, 7	70. 17)		•,
		出願時の国際	5.	<b>新書類</b>		
	_	ш.ок v -> Щр	,, p	~ w ~		
ļ	X	明細書	第	1-28	べージ、	出願時に提出されたもの
		明細書 明細書	第第		ページ、 ページ、	国際予備審査の請求書と共に提出されたもの
		21 WH.E.	20			付の書簡と共に提出されたもの
	X	請求の範囲		2, 5-6	項、	出願時に提出されたもの
		請求の範囲	第		項、	PCT19条の規定に基づき補正されたもの
		請求の範囲 請求の範囲		1. 4	項、 項、	国際予備審査の請求書と共に提出されたもの 26.01.01 付の書簡と共に提出されたもの
		n(3 s) 4 s draken	217	1, 4		20.01.01 19の最間と来に延出されたもの
	X	図面	第	1 - 7	<del>-**/</del> 🗵、	
		図面	第		ベージ/図、	国際予備審査の請求書と共に提出されたもの
		図面	第		ページ/図、	付の書簡と共に提出されたもの
		明細書の配列	引表(	の部分 第	ページ、	出願時に提出されたもの
	_	明細書の配列		· · · · · · · · · · · · · · · · · · ·	ページ、	国際予備審査の請求書と共に提出されたもの
		明細書の配列	引表(	か部分 第	ページ、	付の書簡と共に提出されたもの
2.	ا	上記の出願書類	質の言	言語は、下記に示す	場合を除くほか、こ	の国際出願の言語である。
	ا	上記の書類は、	下記	尼の言語である	語であ	oo.
	ſ	国際調査	のた	めに提出されたPC	T規則23.1(b)にい	う翻訳文の言語
	Ì			1.3(b)にいう国際公開	*	> MANA > 1 HI
	Ī	<del>-</del>				とは55.3にいう翻訳文の言語
	٠	_				
3.	3	この国際出願に	<b>t</b> 、3	ヌクレオチド又はア	ミノ酸配列を含んで	おり、次の配列表に基づき国際予備審査報告を行った。
	ſ	この国際	出願	に含まれる書面によ	る配列表	
	Ī	=		と共に提出されたフ		クによる配列表
	Ī	=				是出された書面による配列表
	Ì	_				是出されたフレキシブルディスクによる配列表
	Ī	出願後に	提出	した書面による配列	表が出願時におけ	る国際出願の開示の範囲を超える事項を含まない旨の陳述
	,	書の提出	があ	った		
	Ĺ				とフレキシブルデ.	ィスクによる配列表に記録した配列が同一である旨の陳述
		書の提出	כים ינג	った。		
4.	*	≹正により、↑	下記(	の書類が削除された。		
		明細書				
	X	請求の範囲	第	3	項	
		図面	図	面の第	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	ジ/図
5.	П	この国際予備	おおお おおお おおお おおお おおま おおま かっぱい しゅう かんしょう しゅう しゅう しゅう しゅう しゅう しゅう しゅう しゅう しゅう しゅ	を報告は、補充欄にえ	示したように、補正	が出願時における開示の範囲を越えてされたものと認めら
		れるので、そ	その神	甫正がされなかった。	ものとして作成した	。 (PCT規則70.2(c) この補正を含む差し替え用紙は上
				判断の際に考慮しなら		



#### 国際出願番号 PCT/JP00/02506

<b>v</b> .	新規性、進歩性又は産業上の利用可能 文献及び説明	性についての法第12条(P( 	CT35条(2)) に定める見解	:、それを裏付ける 
1.	見解			
	新規性(N)	請求の範囲	2, 6	有
		請求の範囲	1, 4-5	無
	進歩性(IS)	請求の範囲	6	有
		請求の範囲	1-2, 4-5	<u>_</u> 無
	産業上の利用可能性 (IA)	請求の範囲	1-2, 4-6	有
	•	請求の範囲 おおおお かいだい かいかい かいかい かいかい かいかい かいかい かいかい		<del>==</del>

#### 2. 文献及び説明 (PCT規則70.7)

請求項1、4は、国際調査報告で引用した文献1 (JP,8-111230,A (関西電力株式会社 外1名)30.4月.1996(30.04.96),特許請求の範囲,第3頁左欄40行-第4頁左欄9行(ファミリーなし))、文献2 (JP,10-255828,A(本田技研工業株式会社)25.9月.1998(25.09.98),特許請求の範囲,第3頁右欄21行-第4頁右欄33行(ファミリーなし))、文献3 (JP,10-3936,A(三洋電機株式会社)6.1月.1998(06.01.98),特許請求の範囲,第3頁右欄35行-第5頁右欄32行(ファミリーなし))により新規性、進歩性を有しない。

上記引用文献1には、電流密度、反応ガス全圧、入口空気露点、空気利用率、生成水排出率とから、セル出力電圧が最大となるセル面内上部温度の最適値およびセル面内上部温度とセル面内下部温度との差(セル面内上下温度差)の最適値とを求め、冷却媒体の温度および流量を調整することにより、最適セル面内上部温度の最適値およびセル面内上下温度差の最適値になるように制御することが記載されている。

上記引用文献 1 に記載のものにおいては、セル面内のどの部分においても水の生成と排出のバランスが取れることから(第4頁左欄 3 - 9 行)、請求項 1、4 に記載される様な所定値(請求項 1 では、1  $\le$  m  $\le$  2 および 1  $\le$  n  $\le$  2、特性値 Y が 2 \* 10  $^3$   $\sim$  1. 4 \* 10  $^8$  であることが記載されているが、例えば、n = 1、m = 1、電流密度 0. 3 A の場合、最適な運転状態における Y の値は 2 0 0 0  $\sim$  3 0 0 0 0  $\circ$  5 であることが記載されているように(第14頁 11  $\sim$  14行)、請求項 1 に記載される値では最適な運転状態とはならない範囲までを広範に包含している)内に運転条件が包含される態様が存在するものと認められる。

上記引用文献2には、供給ガス流量検出手段、純水噴射手段に供給される純水の温度を検出するための純水温度検出手段、電池負荷検出手段および電池内部温度検出手段からの信号に基づいて、純水噴射手段を制御することが記載されている。 上記引用文献2に記載のものにおいては、反応ガス中の湿分を調節していることに

上記51用又献2に記載のものにおいては、反応ガス中の湿分を調節していることになるが、これにより燃料電池において最適な加湿量制御が行われることから(4頁右欄30-33行)、請求項1,4に記載される様な所定値内に運転条件が包含される態様が存在するものと認められる。



#### 補充欄 (いずれかの欄の大きさが足りない場合に使用すること)

#### 第 V 欄の続き

上記引用文献3には、燃料電池に流れる水蒸気量を検出する水蒸気検出センサ、燃料電池の温度を検出する温度検出センサの検出結果に基づいて改質器に水蒸気を供給する配管に設けられたバルブを制御することが記載されている。\_\_\_\_

上記引用文献3に記載のものにおいては、反応ガス中の湿分を調節していることになるが、これにより、固体高分子膜のイオン伝導性を確保するのに十分保湿することができると共に、固体高分子膜上に水蒸気が結露して水滴が生成することがないことから(5頁右欄28-32行)、請求項1,4に記載される様な所定値内に運転条件が包含される態様が存在するものと認められる。

請求項2は、国際調査報告に引用した上記文献1により進歩性を有しない。

上記引用文献1には、反応ガスの水蒸気圧分布がガス流路出口側へ行くほど高圧になり生成水排出を妨げることが記載されている(第3頁右欄1-6行)ことから、ガス流路出口側を低圧に、すなわち常圧とすることは当業者にとり容易である。

請求項5は、国際調査報告に引用した上記文献1により新規性、進歩性を有しない。

引用文献1には、反応ガスの流通方向に対して順次高くなるセル面内温度分布が形成されることが記載されている(第5頁左欄14-17行)。

請求項6に記載の、電極出発点から電極出口点までの間における電極の温度を、電極出発点から電極出口点までの距離に対して、上に凸となる曲線的に変化させることは、国際調査報告で引用したいずれの文献にも記載されておらず、又、国際調査報告で引用したいずれの文献に記載されたものから容易に発明できたものでもない。

#### 請 求 の 範 囲

1. (補正後) 高分子電解質膜を挟む一対の電極と、導電性セパレータと、前記電極に燃料ガスおよび酸化剤ガスを供給排出する手段と、前記燃料ガスおよび/または前記酸化剤ガスの加湿手段と、前記電極と平行な面方向に冷却水を流通する手段とを具備する高分子電解質型燃料電池の運転方法であって、

前記燃料ガスのガス流速、前記酸化剤ガスのガス流速、前記燃料ガス 中の飽和水蒸気圧、前記燃料ガス中の水蒸気圧、前記酸化剤ガス中の飽 和水蒸気圧、前記酸化剤ガス中の水蒸気圧、前記電極の温度、および出 力電流値よりなる群から選択される少なくとも1種の物理量を計測し、

前記冷却水の流通方向、前記冷却水の温度、前記冷却水の流量、前記燃料ガスの供給量、前記酸化剤ガスの供給量、前記燃料ガス中の湿分、前記酸化剤ガス中の湿分、前記電極の温度、前記電極の温度分布、および出力電流値よりなる群から選択される少なくとも1種の物理量を調節することにより、

式(1): 
$$Y = V^m \times (\Delta P)^n$$
 (1)

(式中、Vは燃料ガスまたは酸化剤ガスの流速(m/sec)、 $\Delta$ Pは燃料ガスまたは酸化剤ガス中の飽和水蒸気圧と水蒸気圧との差(kgf $m^2$ )であり、 $1 \le m \le 2$ および $1 \le n \le 2$ を満たす。)で表される特性関数によって算出される特性値Yを、 $2 \times 10^3 \sim 1$ .  $4 \times 10^8$ に維持することを特徴とする高分子電解質型燃料電池の運転方法。

2. 高分子電解質型燃料電池における燃料ガスおよび酸化剤ガスの排出口を、前記排出口の後段に設けられた熱交換器の不可避の圧力損失を除き、実質的に常圧に解放することを特徴とする請求の範囲第1項記載の高分子電解質型燃料電池の運転方法。

3.

- 4. (補正後) 高分子電解質型燃料電池の運転時間または出力特性に対応し、mおよびnよりなる群から選択される少なくとも1種を規定することを特徴とする請求の範囲第1項記載の高分子電解質型燃料電池の運転方法。
- 5. 前記電極において燃料ガスまたは酸化剤ガスが導入される部分を電極出発点、前記電極において前記燃料ガスまたは前記酸化剤ガスが排出される部分を電極出口点とし、前記電極出発点の温度を前記電極出口点の温度より低くすることを特徴とする請求の範囲第1項記載の高分子電解質型燃料電池の運転方法。
- 6.前記電極出発点から電極出口点までの間における電極の温度Yを、前記電極出発点から電極出口点までの距離Xに対して、上に凸となる曲線的に変化させること特徴とする請求の範囲第5項記載の高分子電解質型燃料電池の運転方法。

### PA IT COOPERATION TREATY

	From the INTERNATIONAL BUREAU			
PCT	То:			
NOTIFICATION OF FLECTION	Assistant Consult to 5 Decision			
NOTIFICATION OF ELECTION	Assistant Commissioner for Patents United States Patent and Trademark			
(PCT Rule 61.2)	Office Office			
(( 0 : //2/0 0 //2/	Box PCT			
	Washington, D.C.20231			
	ETATS-UNIS D'AMERIQUE			
Date of mailing:	]			
02 November 2000 (02.11.00)	in its capacity as elected Office			
International application No.:	Applicant's or agent's file reference:			
PCT/JP00/02506	P22752-P0			
International filing date:	Priority date:			
17 April 2000 (17.04.00)	26 April 1999 (26.04.99)			
Applicant:				
HATOH, Kazuhito et al				
1. The decimand Office is bounded on the control of				
The designated Office is hereby notified of its election made	le:			
X in the demand filed with the International preliminar	v Examining Authority on:			
Ub September	r 2000 (06.09.00)			
in a notice effecting later election filed with the Inter	national Bureau on:			
2. The election X was				
was not	January and the same			
made before the expiration of 19 months from the priority	date or, where Rule 32 applies, within the time limit under			
Rule 32.2(b).				
	Authorized officer:			
The International Bureau of ₩IPO 34, chemin des Colombettes				
1211 Geneva 20, Switzerland	J. Zahra			
Facsimile No.: (41-22) 740.14.35	J. 281178 Telephone No.: (41-22) 338.83.38			

# Translation

## PATENT COOPERATION TRE

#### INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference P22752-P0	FOR FURTHER ACTION		ionofTransmittalofInternational Preliminary Report (Form PCT/IPEA/416)			
International application No.	International filing date (day/	month/year)	Priority date (day/month/year)			
PCT/JP00/02506	17 April 2000 (17.0	04.00)	26 April 1999 (26.04.99)			
International Patent Classification (IPC) or n H01M 8/04, 8/10	International Patent Classification (IPC) or national classification and IPC H01M 8/04, 8/10					
Applicant MATSUS	SHITA ELECTRIC INDU	JSTRIAL C	O., LTD.			
<ol> <li>This international preliminary examination report has been prepared by this International Preliminary Examining Authority and is transmitted to the applicant according to Article 36.</li> <li>This REPORT consists of a total of 6 sheets, including this cover sheet.</li> <li>This report is also accompanied by ANNEXES, i.e., sheets of the description, claims and/or drawings which have been amended and are the basis for this report and/or sheets containing rectifications made before this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions under the PCT).</li> </ol>						
These annexes consist of a to	tal of 2 sheets.					
3. This report contains indications relating to the following items:  I Sasis of the report  Priority  III Non-establishment of opinion with regard to novelty, inventive step and industrial applicability  IV Lack of unity of invention  V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement  VI Certain documents cited  VII Certain defects in the international application  VIII Certain observations on the international application						
Date of submission of the demand Date of completion of this report						
06 September 2000 (06.0	į		June 2001 (05.06.2001)			
Name and mailing address of the IPEA/JP	Author	ized officer				
Facsimile No.	Teleph	one No				

ational application No.

PCT/JP00/02506

1.	I. Basis of the report				
1.	With	regard to	the elements of the international application:*		
		the inte	rnational application as originally filed		
	$\boxtimes$	the des	cription:		
		pages	1-28	, as originally filed	
		pages		, filed with the demand	
		pages	, filed with the letter of		
	$\square$	the clai	ms:		
		pages		as anisimally filed	
		pages	, as amended (together	, as originally filed	
		pages		, filed with the demand	
		pages	1,4 , filed with the letter of	26 January 2001 (26 01 2001)	
			_	20 January 2001 (20.01.2001)	
	$\bowtie$	the drav	vings:		
		pages	1-7	, as originally filed	
		pages		, filed with the demand	
		pages	, filed with the letter of		
		he seque	nce listing part of the description:		
	_	pages		or originally filed	
		pages			
		pages	, filed with the letter of		
2.	the ir	nternation	o the language, all the elements marked above were available or furnished to thin all application was filed, unless otherwise indicated under this item.  It is were available or furnished to this Authority in the following language	is Authority in the language in which which is:	
			guage of a translation furnished for the purposes of international search (under Ru		
	$\sqcap$		guage of publication of the international application (under Rule 48.3(b)).	2011(0)).	
			guage of the translation furnished for the purposes of international preliminary	examination (under Rule 55.2 and/	
3.	With	regard minary ex	to any nucleotide and/or amino acid sequence disclosed in the internation was carried out on the basis of the sequence listing:	ional application, the international	
	$\square$		ed in the international application in written form.		
	$\square$	filed to	gether with the international application in computer readable form.		
		furnishe	ed subsequently to this Authority in written form.		
		furnishe	ed subsequently to this Authority in computer readable form.		
		The sta	atement that the subsequently furnished written sequence listing does not ional application as filed has been furnished.	go beyond the disclosure in the	
		The sta	tement that the information recorded in computer readable form is identical rnished.	to the written sequence listing has	
4.	$\boxtimes$	The am	endments have resulted in the cancellation of:		
			he description, pages		
		N 21	he claims, Nos3		
			he drawings, sheets/fig		
			<u> </u>		
5.		This rep	ort has been established as if (some of) the amendments had not been made, sin he disclosure as filed, as indicated in the Supplemental Box (Rule 70.2(c)).**	ice they have been considered to go	
	Repla in thi and 7	s report	heets which have been furnished to the receiving Office in response to an invital as "originally filed" and are not annexed to this report since they do not	tion under Article 14 are referred to t contain amendments (Rule 70.16	
**	Any re	eplaceme	nt sheet containing such amendments must be referred to under item 1 and annex	xed to this report.	

International application No.

/JP 00/02506

V. Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

Statement			
Novelty (N)	Claims	2, 6	YES
	Claims	1, 4, 5	NO
Inventive step (IS)	Claims	6	YES
	Claims	1, 2, 4, 5	NO
Industrial applicability (IA)	Claims	1, 2, 4-6	YES
	Claims		NO

#### 2. Citations and explanations

Claims 1 and 4 lack novelty and do not involve an inventive step in the light of Document 1 (JP, 8-111230, A (The Kansai Electric Power Co. Inc. et al.), April 30, 1996 (30.04.96), claims; page 3, left column, line 40 to page 4, line 9 (Family: none)), Document 2 (JP, 10-255828, A (Honda Motor Co., Ltd.), September 25, 1998 (25.09.98), claims; page 3, right column, line 21 to page 4, right column, line 33 (Family: none)), Document 3 (JP, 10-3936, A (Sanyo Electric Co., Ltd.), January 6, 1998 (06.01.98), claims; page 3, right column, line 35 to page 5, line 32 (Family: none) cited in the international search report.

The above-mentioned Document 1 discloses the feature wherein the optimal value of the temperature of the upper section inside the cell at which the cell output voltage is the greatest and the optimal value of the difference between the temperature in the upper section within the cell and the temperature in the lower section within the cell (difference in temperatures between the upper and lower sections of the cell) are determined from the current density, the reaction gas full pressure, the inlet air dew point, the air utilization ratio, and the rate of discharge of produced water and by adjusting the temperature and the flow of the coolant the optimal value

of the temperature in the upper section within the cell and the optimal value of the difference between the temperature in the upper section within the cell and the temperature in the lower section within the cell can be controlled.

Since a balance is always reached between the water produced and discharged in any section within the cell in the invention disclosed in Document 1 (page 4, lines 3 to 9), said document presents conditions which include those operational conditions such as the various predetermined values disclosed in Claims 1 and 4. (Although Claim 1 indicates that  $1 \le m \le 2$  and  $1 \le n \le 2$ , Y being  $2 \times 10^3 \sim 1.4 \times 10^8$ , for example, when n=1, m=1 and the current density is 0.3A, the value of Y in the optimal operational status is 2000-30000, and when it is greater than 30000, it is in over dry status (page 14, lines 11 to 14), this value disclosed in Claim 1 covers such a large range that it cannot be considered as the optimal operational state.

The above-mentioned Document 2 discloses the feature of controlling the purified water jetting means based on the signals from the means that detects the amount of gas supplied, the purified water temperature detection means for detecting the temperature of the purified water supplied to the purified water jetting means, the cell load detection means, and the cell internal temperature detection means.

In the invention disclosed in the above-mentioned Document 2, the moisture within the reaction gas is adjusted and since this adjustment controls the optimal amount of moisture in the fuel cell, the document is considered to present conditions wherein the operational conditions fall within the various predetermined values disclosed in Claims 1 and 4.

The above-mentioned Document 3 discloses the feature of controlling the valve disposed on the pipe that supplies vapour to the modifier based on the results detected by the vapour detection sensor, which detects the amount of vapour flowing to the fuel cell and the temperature detection sensor, which detects the temperature of the fuel cell.

In the invention disclosed in the above-mentioned Document 3, the moisture within the reaction gas is adjusted and since due to this adjustment sufficient moisture can be retained to ensure the ion conductivity of the solid polymer film and since no water droplets are produced due to the water vapour condensing on top of the solid polymer film (page 5, right column, lines 28 to 32), the document is considered to present conditions wherein the operational conditions fall within the various predetermined values disclosed in Claims 1 and 4.

Claim 2 does not involve an inventive step in the light of Document 1 cited in the international search report.

Since the above-mentioned Document 1 discloses the feature wherein the vapour pressure distribution of the reaction gas is such that the pressure increases the closer to the gas flow path outlet port side the pressure is, which prevents the discharge of produced water (page 3, lines 1 to 6), it would be easy for a person skilled in the art to make the pressure on the gas flow path outlet side a low pressure, namely normal pressure.

Claim 5 lacks novelty and does not involve an inventive step in the light of Document 1 cited in the international search report.

International application No.

/JP 00/02506

The above-mentioned Document 1 discloses the feature wherein the temperature distribution within the cell is formed in such a manner that it increases progressively in the direction in which the reaction gas flows (page 5, left column, lines 14 to 17).

The feature disclosed in Claim 6 wherein the temperature of the electrode between the electrode starting point and the electrode exit point is altered with respect to the distance between the electrode starting point and the electrode exit point so that the curve rises to its peak upwardly is not disclosed in any of the documents cited in the international search report. Moreover, it would not be easy for a person skilled in the art to derive this feature from the inventions disclosed in any of the documents cited in the international search report.

#### INTERNATIONAL SEARCH REPORT

International application No.

PCT/JP00/02506

		ļ	FCI/C	1200/02506
A. CLAS	SSIFICATION OF SUBJECT MATTER C.Cl H01M8/04, H01M8/10			
According	to International Patent Classification (IPC) or to both	national classification and IP	c	
	OS SEARCHED	riadolar classification and fr		·
Minimum o	documentation searched (classification system follow	ed by classification symbols)	<del></del>	
Int	.Cl <sup>7</sup> H01M8/04, H01M8/10			
			•	
Documenta	ation searched other than minimum documentation to	the extent that such document	s are included	in the Galdana La
Koka	ai Jitsuyo Shinan Koho 1971-2000	Toroku Jitsuyo Jitsuyo Shinan	Shinan F Toroku F	Coho 1994-2000 Coho 1996-2000
Electronic (	data base consulted during the international search (n	ame of data base and, where p	racticable, sea	rch terms used)
			:	
C. DOCU	MENTS CONSIDERED TO BE RELEVANT		<del></del>	
Category*	Citation of document, with indication, where	appropriate, of the relevant pa	ssages	Relevant to claim No.
х	JP, 8-111230, A (The Kansai El	ectric Power Co.,	Inc. et	
A	al.), 30 April, 1996 (30.04.9) Claims; page 3, left column, line	6), e 40 to page 4 left	column	1-5
	line 9 (Family: none)	· · · · · · · · · · · · · · · · · · ·	COTUMET,	6
,	JP, 10-255828, A (Honda Motor	<b>0</b> - <b>*</b> • • • •		
· x	25			1,3-4
Α	Claims; page 3, right column,	line 21 to page 4	, right	2,5-6
	column, line 33 (Family: non	e)		
	JP, 10-3936, A (Sanyo Electric	Co., Ltd.),		
X	06 January, 1998 (06.01.98)			1,3-4
	Claims; page 3, right column, column, line 32 (Family: non	line 35 to page 5 e)	, right	.2,5-6
,				
х	JP, 7-263010, A (Mazda Motor C 13 October, 1995 (13.10.95),	Corporation),		
Α	Claims; page 2, right column, lin	e 40 to page 3. left o	column.	1,3-4 2,5-6
	line 14 (Family: none)	<u> </u>		2,3 0
1			•	
	documents are listed in the continuation of Box C.	See patent family ann	ex.	
* Special of A* document	categories of cited documents: nt defining the general state of the art which is not	"T" later document published		
considere	ed to be of particular relevance	priority date and not in c understand the principle	or theory under	lying the invention
date	ocument but published on or after the international filing	"X" document of particular re considered novel or cann	elevance; the cla	d to involve an inventive
cited to e	at which may throw doubts on priority claim(s) or which is establish the publication date of another citation or other	step when the document	is taken alone	
special re	eason (as specified) at referring to an oral disclosure, use, exhibition or other	considered to involve an	inventive step v	
means	_	combined with one or mo combination being obvio	us to a person si	killed in the art
than the p	It published prior to the international filing date but later priority date claimed	"&" document member of the	same patent fan	nily
Date of the ac	tual completion of the international search	Date of mailing of the intern	ational search	report
יי דד טט	aly, 2000 (11.07.00)	25 July, 2000		
lama and and				· · · · · · · · · · · · · · · · ·
and mai Japan	iling address of the ISA/ lese Patent Office	Authorized officer		
acsimile No.		Tolonhoma No		
20000		Telephone No.		

Form PCT/ISA/210 (second sheet) (July 1992)